SERVICE LIFT
EXPERTS







SERVICE

LIFT BROCHURE

ENGINEERED FOR PERFORMANCE, DESIGNED FOR ELEGANCE, AND BUILT TO ELEVATE EVERY SPACE WITH CONFIDENCE.

DESIGN. ENGINEERING. EXCELLENCE

Service Goods Automatic Marine Disability Access

ABOUT SERVICE LIFT EXPERTS

ADVANCING THE FUTURE OF SERVICE LIFTS.

At Service Lift Experts, we are committed to delivering high-quality lift solutions built around reliability, innovation, and long-term performance. With strong industry knowledge and hands-on engineering experience, we work closely with lift companies, residential customers and industry professionals to provide dependable products that combine practicality, efficiency, and modern design.

We bring a trusted range of service and disability access lifts to the market, offering solutions designed to meet the demands of commercial, hospitality, healthcare, residential, and industrial environments. Every product is selected with a focus on quality craftsmanship, durability, and seamless integration into various buildings and homes.

Backed by extensive experience within the elevator industry, we understand the importance of reliability, responsive communication, and tailored project support. From initial enquiry through to project completion, we are dedicated to helping you find the right solution for your specific operational requirements.

We continue to build strong partnerships through professionalism, technical understanding, and a commitment to delivering trusted vertical transportation solutions.

RAISING STANDARDS. EVERY DAY.

At Service Lift Experts, we combine innovative engineering, refinded design and meticulous craftsmanship to deliver lift solutions that elevate the way people live, work and experience the spaces around them.

From concept to completion and beyond, our commitment to quality, safety and service ensures every journey is exceptional.

OUR PROMISE

SAFETY FIRST

Advanced safety systems and rigorous testing for complete peace of mind.

RELIABLE PERFORMANCE

Engineered for smooth operation, maximum uptime and long-term reliability.

TIMELESS DESIGN

Materials and finishes that complement beautiful spaces and inspire.

DEDICATED SUPPORT

Supporting you through every stage, from enquiry to project completion.

PRODUCT RANGE

Complete Service Lift Solutions

Lifting solutions designed around you

Our range of lifting solutions combines quality, reliability, flexibility and intelligent design to meet the demands of modern commercial, residential and public environments.

From moving goods and materials to providing safe, convenient accessibility, our products are designed to make buildings more practical, efficient and accessible. Space-saving designs, flexible configurations and a wide choice of finishes allow solutions to be adapted to individual buildings, applications and architectural requirements.

We understand that every project is different. That is why our range offers solutions for hospitality, retail, healthcare, education, offices, residential buildings and public spaces, with options designed to work within both new and existing buildings.

Safety and ease of use are central to our products, alongside dependable performance and low-maintenance operation. Advanced drive systems, robust construction and carefully considered controls provide confidence for both users and building owners.

Whether the requirement is goods movement, accessibility or vertical transportation, our product range offers versatile solutions that combine functionality with a clean, professional appearance.

Explore our products and discover the right solution for your building.

OUR
LIFT SOLUTIONS

PRACTICAL SOLUTIONS. A MORE ACCESSIBLE TOMORROW.

A complete range of lifting solutions for commercial, residential and public environments. Designed for reliability, flexibility and everyday use.



SERVICE LIFTS

Pages 6 - 17

Compact solutions for food, documents and light goods transport, ideal for a wide range of commercial and residential environments.

- ✓ Classic Dumbwaiter
- ✓ Trolley Lift
- ✓ Doc Lift
- ✓ Combi Lift
- ✓ Semi-Automatic Lift
- ✓ Comfort Automatic Lift



GOODS LIFTS

Pages 18 - 23

Heavy-duty solutions for larger loads and demanding applications, built for performance, durability and everyday reliability.

- ✓ Cargo Compact Lift
- ✓ Cargo Tower Lift
- ✓ Cargo Compact PLUS
- ✓ Cargo Tower PLUS



DISABLED ACCESS LIFTS

Pages 24 - 35

A range of solutions to provide safe, comfortable and independant access into various spaces, for both public and private buildings.

- ✓ Chain Drive Platform
- ✓ Screw Drive Platform
- ✓ Commercial Platform
- ✓ Cabin Lift
- ✓ Platform step Lift
- ✓ Platform Stair Lift

CLASSIC DUMBWAITER

The benchmark for **space-saving**, seamless goods transport between floors.

Built on German engineering, the Classic Dumbwaiter is the answer to efficient, reliable service in restaurants, homes, offices, hospitals and more.

Basic Data

- Load Capacity 50 - 300kg
- Up to 3 access sides
- With vertical bi-parting doors at serving level
- Motor arrangement at the top, side or bottom of the shaft
- Nominal speed up to 0.45 m/s
- With safety gear for accessible spaces under the shaft

Basic Equipment

- Car and landing doors with Zintec steel for individual colouring
- Hot-dip galvanised shaft structure for installation in an on-site shaft
- Short assembly times due to pre-assembled components
- Drive with compact worm gear
- Microprocessor control completely pre-wired and pluggable in 24 volt technology
- Call and send control
- Call acknowledgement, arrival signal and position indicator
- Diagnostic system

Optional

- Up to 30 stops
- Head up to 120m
- Nominal speed up to 1.0m/s
- Fire doors based on EN 81-58
- Car closure or load restraint
- Frequency control
- Floor and underfloor heating
- LED car lighting and LED shaft lighting
- Overload protection
- Automatic vertical bi-parting doors
- Materials and surfaces according to customer requirements
- Special functions and displays
- Intercom systems
- Water/dust protection (IP)
- Special solutions for reduced shaft conditions
- Special car dimensions


LOAD
50 kg


GOOD
OLD BOY
BEST BITTER
GOOD OLD BOY
BEST BITTER


Danger!



TROLLEY LIFT

The smart choice for moving goods on castors, large boxes and crates. The Trolley lift delivers the perfect combination of strength, capacity and reliability to keep your operations running smoothly.

Engineered with robust swing or bi-parting doors and a high load capacity, it handles medium-sized goods up to 660lbs with ease. Its minimal pit depth ensures maximum performance while reducing the need for costly structural work.

Basic Data

- Load Capacity 100 - 300kg
- Up to 3 access sides
- With hinged doors at floor level
- Motor arrangement at the top or side of the shaft
- Nominal speed up to 0.3 m/s
- With safety gear for accessible spaces under the shaft

Basic Equipment

- Car and landing doors with Zintec steel for individual colouring
- Hot-dip galvanised shaft structure for installation in an on-site shaft
- Short assembly times due to pre-assembled components
- Drive with compact worm gear
- Microprocessor control completely pre-wired and pluggable in 24 volt technology
- Call and send control
- Call acknowledgement, arrival signal and position indicator
- Diagnostic system

Optional

- Up to 30 stops
- Head up to 120m
- Nominal speed up to 1.0m/s
- Fire doors based on EN 81-58
- Car closure or load restraint
- Frequency control
- Interfloor heating
- LED car lighting and LED shaft lighting
- Overload protection
- Materials and surfaces according to customer requirements
- Special functions and displays
- Intercom systems
- Water/dust protection (IP)
- Special solutions for reduced shaft conditions
- Special car dimensions





DOCUMENT LIFT

This compact solution delivers outstanding efficiency while maximising space. Ideal for transporting light loads within buildings, it's perfectly suited for laboratories, pharmacies, and office environments handling samples, medications, or documents.

The Doc lift is designed to fit where others can't, requiring minimal space without compromising on performance. With a load capacity of 5kg up to 20kg, it keeps things simple and efficient.

Basic Data

- Load Capacity 5kg
- One-sided or through-loading
- With hinged doors on serving level
- Motor arrangement at the top or side of the shaft
- Nominal speed up to 0.35 m/s

Optional

- Increase the load capacity to 20kg
- Deviating car dimensions
- Frequency control
- Materials and surfaces according to customer requirements
- Intercom systems

Basic Equipment

- Car and landing doors with Zintec steel for individual colouring
- Hot-dip galvanised shaft structure for installation in an on-site shaft
- Short assembly times due to pre-assembled components
- Drive with compact worm gear
- Microprocessor control completely pre-wired and pluggable in 24 volt technology
- Call and send control
- Call acknowledgement, arrival signal and position indicator
- Diagnostic system


2
1
B

COMBI LIFT

The Combi lift brings together the best of the Classic Dumbwaiter and Trolley lift into one intelligent lift solution. Its smartly designed divided cabin offers dual functionality—access the upper section via vertical sliding doors, while the lower section features a single hinged door.

Move different items simultaneously with total efficiency—food in the upper section, bulkier loads like drinks crates below. One lift, delivering double the functionality.

Basic Data

- Load Capacity 100 - 300kg
- Up to 3 access sides
- With combination doors
- Motor arrangement at the top or side of the shaft
- Nominal speed up to 0.3 m/s
- With safety gear for accessible spaces under the shaft

Basic Equipment

- Car and landing doors with Zintec steel for individual colouring
- Hot-dip galvanised shaft structure for installation in an on-site shaft
- Short assembly times due to pre-assembled components
- Drive with compact worm gear
- Microprocessor control completely pre-wired and pluggable in 24 volt technology
- Call and send control
- Call acknowledgement, arrival signal and position indicator
- Diagnostic system

Optional

- Up to 30 stops
- Head up to 120m
- Nominal speed up to 1.0m/s
- Car closure or load restraint
- Frequency control
- Floor and underfloor heating
- LED car lighting and LED shaft lighting
- Overload protection
- Materials and surfaces according to customer requirements
- Special functions and displays
- Intercom systems
- Water/dust protection (IP)
- Special solutions for reduced shaft conditions
- Special car dimensions


FOOD ALLERGIES
and INTOLERANCES
WATER

SEMI-AUTOMATIC

The Semi-Automatic lift enables container transport with manual loading—place the container on the roller conveyor, choose the destination, and the system handles the rest.

Automatic infeed, positioning, and unloading onto destination conveyors ensure a smooth, efficient material flow.

Basic Data

- Load Capacity 20kg
- One-sided or through-loading
- Vertical bi-parting doors with individual drives
- Car with conveyer belt
- Unloading conveyers in front of each landing door as gravity roller conveyers
- Engine arrangement at the top, side or bottom of the shaft
- Nominal speed 0.3 to 1.00 m/s frequency controlled
- With safety gear for accessible spaces under the shaft

Basic Equipment

- Car and landing doors with Zintec steel for individual colouring
- Hot-dip galvanised shaft structure for installation in an on-site shaft
- Short assembly times due to pre-assembled components
- Drive with compact worm gear
- Siemens S7-1200 control completely pre-wired and pluggable in 24 volt technology
- Frequency inverter KEB
- Call acknowledgement, arrival signal and position indicator
- Diagnostic system

Optional

- Up to 30 stops
- Head up to 120m
- Fire doors based on EN 81-58
- LED car lighting and LED shaft lighting
- Materials and surfaces according to customer requirements
- Special functions and displays
- Special solutions for reduced shaft conditions
- Special car dimensions





COMFORT AUTOMATIC

The Automatic Line Comfort enables fully automated container transport—simply select the destination, place it on the roller conveyor, and it's ready to go.

Double-decker roller conveyors ensure smooth, rapid loading and unloading at each floor, with the option to integrate directly into existing conveyor systems.

Basic Data

- Load Capacity 20kg
- One-sided or through-loading
- Vertical bi-parting doors with individual drives
- Car with conveyer belt
- Unloading conveyers in front of each landing door as double-deck roller conveyers
- Engine arrangement at the top, side or bottom of the shaft
- Nominal speed 0.3 to 1.00 m/s frequency controlled
- With safety gear for accessible spaces under the shaft

Basic Equipment

- Car and landing doors with Zintec steel for individual colouring
- Hot-dip galvanised shaft structure for installation in an on-site shaft
- Short assembly times due to pre-assembled components
- Drive with compact worm gear
- Siemens S7-1200 control completely pre-wired and pluggable in 24 volt technology
- Frequency inverter KEB
- Call acknowledgement, arrival signal and position indicator
- Diagnostic system

Optional

- Up to 30 stops
- Head up to 120m
- Fire doors based on EN 81-58
- LED car lighting and LED shaft lighting
- Materials and surfaces according to customer requirements
- Special functions and displays
- Special solutions for reduced shaft conditions
- Special car dimensions





CARGO COMPACT LIFT

The Cargo Compact installs quickly into existing shafts using a proven auxiliary structure. Mounted to the shaft walls, it transfers loads efficiently while simplifying installation of rails, electrics, and doors.

Minimal fixing and easy adaptation to existing openings make it ideal for upgrading older lift systems.

Basic Data

- Load Capacity 660lbs to 2,200lbs
- Up to 3 access sides (depending on load capacity)
- Landing doors as single or double-leaf swing door
- Drive unit arrangement at the top or on the side next to the shaft (depending on load capacity and head)
- Nominal speed up to 0.15 m/s
- Optionally with safety gear on the tensioning or balancing weights for accessible spaces under the shaft

Basic Equipment

- Hot-dip galvanised car and landing doors
- Hot-dip galvanised shaft structure for installation in an on-site load-bearing shaft
- Short assembly times due to pre-assembled components
- Drive with compact worm gear
- Microprocessor control completely pre-wired and pluggable in 24 volt technology
- Call and send control including key switch for limited user group
- Call acknowledgement, arrival signal and position indicator
- Diagnostic system
- LED car lighting
- LED shaft lighting

Optional

- Landing doors according to EN-81-58: E120, EW60, EI90
- Car closure or load restraint
- Frequency control
- Overload protection
- Materials and surfaces according to customer requirements
- Intercom systems
- Ship designs
- Water/dust protection (IP)
- Special solutions for reduced shaft conditions
- Deviating car dimensions
- Further special solutions on request




L2

CARGO TOWER LIFT

The Cargo Tower Elevator is designed for flexible installation in ceiling openings, on shelving systems, or alongside landings. Its fully self-supporting structure requires only simple fixing at floor levels and the shaft head, keeping installation quick and straightforward.

Available as a complete solution on request, the Cargo Tower Elevator can be supplied with full-height cladding. This significantly reduces on-site work and streamlines the overall installation process.

Basic Data

- Load Capacity 1,100lbs to 4,400lbs
- Up to 3 access sides (depending on load capacity)
- Landing doors as single or double-leaf swing door
- Drive unit arrangement at the top or on the side next to the shaft
- Nominal speed up to 0.15 m/s
- Optionally with safety gear on the tensioning or balancing weights for accessible spaces under the shaft

Basic Equipment

- Hot-dip galvanised car and landing doors
- Self-supporting hot-dip galvanised shaft structure
- Short assembly times due to pre-assembled components
- Drive with compact worm gear
- Microprocessor control completely pre-wired and pluggable in 24 volt technology
- Call and send control including key switch for limited user group
- Call acknowledgement, arrival signal and position indicator
- Diagnostic system
- LED car lighting
- LED shaft lighting

Optional

- Cladding of structure with hot-dip galvanised sheet steel
- Car closure or load restraint
- Frequency control
- Overload protection
- Materials and surfaces according to customer requirements
- Intercom systems
- Ship designs
- Water/dust protection (IP)
- Special solutions for reduced shaft conditions
- Deviating car dimensions
- Further special solutions on request





CARGO COMPACT PLUS

The Cargo Compact Plus offers all the benefits of the standard Cargo Compact, with the added advantage of allowing an attendant to travel alongside the load for greater flexibility and convenience.

Basic Data

- Load Capacity 500 - 1,000kg
- Up to 3 access sides (depending on load capacity)
- Landing doors as single or double-leaf swing door
- Drive unit arrangement at the top or on the side next to the shaft (depending on load capacity and head)
- Nominal speed up to 0.15 m/s
- Optionally with safety gear on the tensioning or balancing weights for accessible spaces under the shaft

Basic Equipment

- Hot-dip galvanised car and landing doors
- Hot-dip galvanised shaft structure for installation in an on-site load-bearing shaft
- Short assembly times due to pre-assembled components
- Drive with compact worm gear
- Microprocessor control completely pre-wired and pluggable in 24 volt technology
- Call and send control including key switch for limited user group
- Interior control as dead man's control activated by key switch
- Safety light grid at the car access
- Preperation for customer emergency call system
- Call acknowledgement, arrival signal and position indicator
- Diagnostic system
- LED cab lighting with integrated emergency lighting
- LED shaft lighting
- Interior roadway sheeting

Optional

- Landing doors according to EN-81-58: E120, EW60, EI90
- Frequency control
- Overload protection
- Materials and surfaces according to customer requirements
- Intercom systems
- Ship designs
- Water/dust protection (IP)
- Special solutions for reduced shaft conditions
- Deviating car dimensions
- Further special solutions on request

CARGO TOWER PLUS

The Cargo Tower Plus offers all the benefits of the standard Cargo Tower, with the added advantage of allowing an attendant to travel inside the car alongside the load.

Basic Data

- Load Capacity 500 - 2,000kg
- Up to 3 access sides (depending on load capacity)
- Landing doors as single or double-leaf swing door
- Drive unit arrangement at the top or on the side next to the shaft
- Nominal speed up to 0.15 m/s
- Optionally with safety gear on the tensioning or balancing weights for accessible spaces under the shaft

Basic Equipment

- Hot-dip galvanised car and landing doors
- Self-supporting hot-dip galvanised shaft structure
- Short assembly times due to pre-assembled components
- Drive with compact worm gear
- Microprocessor control completely pre-wired and pluggable in 24 volt technology
- Call and send control including key switch for limited user group
- Interior control as dead man's control activated by key switch
- Safety light grid at the car access
- Preperation for customer emergency call system
- Call acknowledgement, arrival signal and position indicator
- Diagnostic system
- LED car lighting with integrated emergency lighting
- LED shaft lighting
- Interior roadway sheeting

Optional

- Cladding of structure with hot-dip galvanised sheet steel
- Frequency control
- Overload protection
- Materials and surfaces according to customer requirements
- Intercom systems
- Ship designs
- Water/dust protection (IP)
- Special solutions for reduced shaft conditions
- Deviating car dimensions
- Further special solutions on request

CHAIN DRIVE PLATFORM LIFT

Our chain drive lift is widely recognised as the premier platform Lift available on today's market, with its unique twin guided chain drive system ensuring a top quality performance that is synonymous with Swedish engineering.

The drive system allows the enclosure to be glazed to all 4 sides which aesthetically gives the lift a major advantage. In addition to the fully glazed arrangement the self-supporting enclosure is also available in both solid and partially glazed varieties

Basic Data

- 15 metres maximum travel serving 6 levels
- 500kg / 6 persons capacity
- Footprint 1280mm x 1590mm
- 1480mm x 1120mm platform
- 60mm deep pit or ramp
- Modular self supporting shaft supplied
- Doors can be fitted on 3 sides, either hand
- 0.15 metres/sec travel speed
- Electrical emergency lowering from platform
- Energy saving LED lighting in ceiling
- 240v operation soft start and stop
- Single press operation on landing call buttons
- Constant pressure tactile pushes on platform

Optional

- Glazing to all sides (clear/smoked/frosted)
- Mixing of glazed and solid panels
- Special platform sizes and exclusive finishes
- Automatic door openers
- 1300mm high doors at top floor available for travel of less than 3m
- RAL colours
- Key switch operation
- Hidden door closers
- Emergency autodialler or intercom
- Uninterrupted power supply (UPS), battery back up

Drive System

At the heart of the lift is the patented Guided Chain drive system. It’s a highly engineered safe, reliable and economical system, incapable of derailing. It provides a smooth drive, and will last at least 25 years with minimal maintenance and no need to change the oil.




Stiltz




BKG

SCREW DRIVE PLATFORM LIFT

Introducing the Screw Drive Platform Lift, offering increased capacity, better accessibility and a robust and reliable design. The lift is designed with the flexibility to fulfil individual requirements and fit in to both new and existing buildings.

We offer a range of platform sizes, for options within healthcare, retail facilities, schools and other venues, that may need to accommodate larger or heavier loads. The increased platform size is complimented by the option of having landing doors that measure up to 1,300mm wide, allowing for increased access to the platform for loads such as beds and larger powered wheelchairs.

Basic Data

- 13 metres maximum travel serving 6 levels
- 1,000kg capacity
- 110mm deep pit
- Doors can be fitted on 3 sides, either hand
- 0.15 metres/sec travel speed#
- Energy saving LED lighting in ceiling
- 415v operation soft start and stop
- Single press operation on landing call buttons
- Constant pressure tactile pushes on platform

Optional

- Mixture of glazed and steel shaft panels available
- Special platform sizes available
- Automatic door openers
- 1,300mm wide landing doors
- RAL colours
- Key switch operation
- Emergency autodialler or intercom

Notes

The lift complies with Class III Health Care regulatory sizes, making it the ideal solution for transporting beds and their attendants in care homes and similar care facilities. To assist with entering and exiting the lift, there is the option of a hold open facility, which makes transporting larger, more challenging loads a lot easier.

All of this, added to the benefit of just a 110mm recess in the lower floor, make the lift the most flexible and cost effective vertical platform lift on the market.


2


1

COMMERCIAL SCREW DRIVE PLATFORM LIFT

This platform lift is designed for schools, restaurants, offices, public and commercial buildings, combining a high-quality finish with practical accessibility features, including an anodized aluminium console, braille and tactile push buttons, and an ergonomic handrail.
Shaft and landing doors can be powder coated in over 1,500 standard RAL colours, with three glazed shaft panel options available. Finishes can be tailored from a high-quality standard to a sophisticated bespoke design to suit any application.

Basic Data

- 13 metres maximum travel
- 250, 410 or 500kg capacity
- Internal applications
- European Machine directive 2006/42/EC European Standard EN 81-41
- Screw/nut system
- Speed 0.15m/s
- Constant pressure push button on carriage
- Battery operated emergency lowering
- Single press operation on landings
- Alarm button
- Emergency stop button
- Aluminium handrail
- LED lights above the destination panel

Optional

- Painted to any standard RAL colour
- Tinted door glass
- Choose from our range of floor options of vinyl, rubber or aluminium.
- Landing indicator on control panel / Voice announcer
- External alarm sounder
- Key switch on control panel
- Extra-large buttons on control panel
- Stainless steel handrail
- Phone or autodialer

Notes

The Commercial Platform lift is a bestseller. The lift is designed to meet all requirements for quality, safety and service life. It is a perfect fit for tough and demanding environments such as schools, shops, commercial and residential buildings.




95KG





CHAIN DRIVE CABIN LIFT

Designed to provide reliable vertical transportation without compromising on space, this lift combines silent, safe operation with modern design and exceptional efficiency. Its clean, contemporary appearance complements a wide range of environments.

Its space-efficient construction makes it ideal where floor space is limited, while low maintenance requirements help minimise ongoing costs and disruption.

Basic Data

- Max 440kg capacity
- Stops: 2-6
- European Machine directive 2006/42/EC European Standard EN 81-41
- Guided chain system
- Speed 0.15m/s
- Swing door 900 x 2,000mm
- Headroom 2,200mm above top landing
- Single phase 230-240V 10 A
- Self-supporting structure
- Pit depth 70mm or ramp
- Fully enclosed cabin with automatic sliding door
- Automatic emergency lowering
- Battery-powered alarm system
- LED lights in cabin ceiling
- Stainless steel handrail
- Control cabinet integrated on top door frame

Optional

- 2-way auto-dialler

- Sizes available:
  > 1,250mm x 1,560mm
  > 1,250mm x 1,760mm
- Doors:
  > Doors can be fitted on two sides of the shaft (A - C)
  > Automatic operation
  > Right or left-hand opening
  > Certified fire doors available
- Shaft walls with steel panels:
  > Aluzinc steel
  > Powder coated white (RAL9010) as standard
  > Glazing on 4 sides avauilable
- Cabin:
  > Glazing on two sides
  > If door on C - side glazing only possible on one side (drive side)

Notes

- Environmentally friendly:
  > More energy efficient than other platform lifts
  > Lifetime oil in gearbox
  > 95% recyclable






THE CELTIC FOOTBALL CLUB
1888



PLATFORM STEP LIFT

The Platform Step Lift is a compact, weather-resistant vertical lift providing safe, step-free access for heights up to 2 metres. It is ideal for retro-fitting at entrances, terraces, and split-level areas indoor and outdoor.

Basic Data

- From 0.6 to 2 metre travel height
- 385kg capacity
- Internal or external installation
- Weather-resistant for outdoor use
- Speed 0.15m/s
- Standard platform size 1,100mm x 1,400mm
- Push-button platform controls
- Full graphic colour display
- Anti-slip anodised aluminium platform surface
- Soft start/stop
- Wireless remote call stations
- Self-aligning access ramp
- Electrical emergency lowering
- Frameless glass gate
- IP54 protection class (internal components remain dry)

Optional

- Voice output module for audible guidance
- Automatic door operators for hands-free access
- LED RGB lighting for aesthetic integration
- Automatic emergency power supply
- Gate can be positioned to the left or right of the car
- Tinted glazing and configurable door insulation
- Mounting pillar for wireless call stations
- 4G GSM auto dialler emergency call system

Notes

The Platform Step Lift provides reliable step-free access to terraces, balconies, raised entrances, decks and split levels where ramps are impractical or space is limited. Suitable for schools, care homes, public buildings and retail environments.

Designed for quick, low-disruption installation, it requires no pit and accommodates travel heights of up to 2 metres. A colour display provides fault information and simple troubleshooting, resolving around 80% of issues without an engineer visit.







PLATFORM STAIR LIFT

Designed for wheelchair users and those with restricted mobility, this modern platform stairlift provides safe, convenient access between levels. Its slim design and folding platform keep stairways clear when not in use. Battery-powered, low-maintenance and easy to operate, it offers smooth travel with integrated safety features for reliable, comfortable use.

Basic Data

- Slim, space-saving design
- Folding platform to minimise obstruction
- Smooth start and stop for comfortable travel
- Battery-powered operation
- Batteries recharge automatically at the final stations
- Low-maintenance and reliable operation
- Integrated handrail for additional support
- Easy-to-use touch-sensitive membrane controls
- Safety bars for added security
- Graphic display showing the lift's operating status
- Coloured LED lighting
- Guided along two parallel rails using rollers
- Rack-and-pinion drive system
- Automatic switch-off to help prevent battery deep discharge

Optional

- Optional folding seat, converting the platform lift into a chairlift
- Lockable, wall-mounted remote control
- Portable handheld remote control
- Custom platform underside designs, colours or company logos
- Speech output module for additional information and clarity
- Choice of stainless-steel finish or RAL colour options

Optional

- Suitable for straight and curved staircases
- Intermediate landings can be accommodated using curved rails or rails with elevation changes
- Rails can be mounted directly to walls or supported on steel stanchions
- Multi-level installations and parking positions can be individually planned
- The platform folds electrically when required
- The lift can be customised to blend into its surroundings









FIND THE RIGHT LIFT

A COMPLETE RANGE OF LIFTING SOLUTIONS

Explore our full range of lift solutions, designed to meet the needs of commercial, residential and public environments. Each product page includes full details, technical information and photography.

MODEL	LOAD CAPACITY	TYPICAL USE	KEY BENEFITS	PAGE
CLASSIC DUMBWAITER	50 - 300kg	Food & light goods	✓ Compact design ✓ Ideal for kitchens ✓ Easy to use	6 - 7
TROLLEY LIFT	100 - 300kg	Trolleys & catering	✓ Designed for trolleys ✓ Practible and durable ✓ Suitable for busy areas	8 - 9
DOCUMENT LIFT	5 - 20kg	Documents & small items	✓ Secure and efficient ✓ Ideal for office & healthcare ✓ Compact and versatile	10 - 11
COMBI LIFT	100 - 300kg	Multi-purpose of above	✓ Flexible design ✓ Suitable for range of items ✓ Space efficient	12 - 13
SEMI-AUTOMATIC LIFT	20kg	Samples, books	✓ Easy operation ✓ Reliable performance ✓ Ideal for commercial use	14 - 15
COMFORT AUTOMATIC LIFT	20kg	Samples, books	✓ Automatic operation ✓ Smooth and reliable ✓ Designed for busy environments	16 - 17
CARGO COMPACT LIFT	300 - 1,000kg	Large goods	✓ Compact footprint ✓ Ideal for larger loads ✓ Suited for existing shafts	18 - 19
CARGO TOWER LIFT	500 - 2,000kg	Large goods	✓ Larger load capacity ✓ Self-supporting structure ✓ Cladding options	20 - 21




MODEL	LOAD CAPACITY	TYPICAL USE	KEY BENEFITS	PAGE
CARGO COMPACT PLUS	500 - 1,000kg	Large goods with attendant supervision	✓ Carry load attendant ✓ Enhanced features ✓ Reliable performance	22
CARGO TOWER PLUS	500 - 2,000kg	Large goods with attendant supervision	✓ Carry load attendant ✓ Heavy duty use ✓ Larger load capacity	23
CHAIN DRIVE PLATFORM	500kg	Disability access	✓ Reliable and robust ✓ Private and public use ✓ Smooth and quiet operation	24 - 25
SCREW DRIVE PLATFORM	1,000kg	Disability access	✓ Space efficient design ✓ Low maintenance ✓ Indoor and outdoor use	26 - 27
COMMERCIAL PLATFORM	250, 410, 500kg	Public access	✓ Designed for high usage ✓ Flexible installation options ✓ Robust and reliable	28 - 29
CABIN LIFT	440kg	Enclosed lift	✓ Comfortable and secure ✓ Suitable for a range of buildings ✓ Modern and discreet design	30 - 31
PLATFORM STEP LIFT	385kg	Disability access	✓ Space saving solution ✓ Simple operation ✓ Ideal for short rises	32 - 33
PLATFORM STAIR LIFT	300kg	Disability access	✓ Straight or curved stairs ✓ Safe and reliable ✓ Indoor and outdoor use	34 - 35

FROM ENQUIRY
TO INSTALLATION

A SIMPLE PROCESS. A TAILORED SOLUTION.

We make it easy to find the right lifting solution for your building. From initial enquiry through to installation and ongoing support, our team is here to guide you every step of the way.



01 ENQUIRE
Tell us about your building, application and requirements.

02 SELECT
We help identify the most suitable lift from our range for your project.

03 SPECIFY
Receive a clear specification and quotation tailored to your needs.

04 SUPPLY
Your selected lift is supplied from our trusted manufacturers.

05 INSTALL
Our experienced installation team will install your lift safely and professionally.

06 HANDOVER
Your lift is ready to use, with full guidance and ongoing support.



A SEAMLESS EXPERIENCE **FROM START TO FINISH.**

With expert advice, reliable products and ongoing support, we make the process simple, so you can focus on what matters most - your building and your business.

EXPERT GUIDANCE

Support from experienced professionals.

RELIABLE SOLUTIONS

Quality lifts from trusted manufacturers.

ONGOING SUPPORT

We're here whenever you need us.

AFTERCARE & SUPPORT

Our commitment continues long after your lift is installed. We provide ongoing support to help keep your lift performing reliably for years to come.

Expert Advice

Advice and support from experienced lift professionals.

Maintenance Options

Planned maintenance can be arranged to suit your requirements.

Spare Parts

Access to genuine parts from trusted manufacturers.

Ongoing Support

We're here to help with any questions or future requirements.





WHY CHOOSE US?

We provide reliable, high-quality lifting solutions designed to meet the needs of commercial, residential and public environments. From expert guidance to long-term support, we're committed to delivering a service you can trust.

RELIABILITY

Keep your lift performing safely and reliably.

PEACE OF MIND

Minimise downtime with ongoing support.

LONG TERM VALUE

A lift solution you can count on.



EVERY BUILDING IS DIFFERENT.

EVERY SOLUTION MATTERS.

Whether you're looking for a compact service lift, a heavy-duty goods lift or an accessible solution, we'll help you find the right lift for your building, budget and requirements.

HAVE A **PROJECT IN MIND?**

Let’s find the right lifting solution for your building.

0330 520 2319

info@serviceliftexperts.co.uk

www serviceliftexperts.co.uk

SCAN TO **EXPLORE OUR FULL RANGE**

REQUEST A QUOTATION →

SERVICE LIFT EXPERTS

LIFT SOLUTIONS FOR HOSPITALITY, COMMERCIAL, INDUSTRIAL & ACCESSIBILITY APPLICATIONS.